

# Safety Data Sheet

## INSOL™ PIPD

Note: Read and understand Safety Data Sheet before handling or disposing of product

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### MATERIAL IDENTITY

Product Code and Trade Name: **InSol™ PIPD**  
Description: Mixture Wax Dispersant/Crystal Modifier  
Product Use: Organic Solids Deposits Dispersant

Manufacturer's Name and Address:  
Kosta Oil Field Technologies, Inc.  
12976 Sugar Ridge Boulevard  
Stafford, Texas 77477

Telephone Numbers:  
TRANSPORTATION EMERGENCY in United States: INFOTRAC 800-535-5053  
TRANSPORTATION EMERGENCY International: INFOTRAC 352-323-3500 (May call collect)  
HEALTH EMERGENCY: 800-535-5053  
GENERAL MSDS ASSISTANCE: 281/568-8415  
TECHNICAL INFORMATION: 281/568-8415

### 2. HAZARD IDENTIFICATION

#### Emergency Overview:

APPEARANCE Clear, pale yellow liquid  
RISK SUMMARY Combustible Liquid.  
Avoid heat, sparks and open flame.  
Can cause eye and skin irritation.  
Inhalation of vapor or mists may cause respiratory tract irritation.  
Ingestion may cause severe gastrointestinal irritation.  
If swallowed, vomiting may cause lung damage.  
May cause central nervous system depression (dizziness, drowsiness, lack of coordination).

### 3. COMPOSITION INFORMATION ON INGREDIENTS

#### Composition:

| Chemical/Common Name                                | CAS No.    | Exposure Limit   | Range in Vol. % |
|---|------------|------------------|-----------------|
| 1st Main Ingredient:<br>Confidential ingredient     | N/A        | None Established | 10-20           |
| 2nd Main Ingredient:<br>Alkyl Esters                | 67784-80-9 | None Established | 5-10            |
| 3 <sup>rd</sup> Ingredient<br>Heavy Aromatic Naptha | 64742-94-5 | TWA/100ppm       | 10-40           |
| 4 <sup>th</sup> Ingredient (Di-pentene):            | 138-86-3   | None             | 10-50           |

N.D. Not Determined

N.A. Not Applicable

N.T. Not Tested

---

4. FIRST AID MEASURES

---

|            |  |
|------------|--|
| INHALATION | Remove to fresh air. Get medical attention if cough or other symptoms develop.   |
| EYES       | Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get immediate medical attention.  |
| SKIN       | Remove contaminated clothing. Wash affected areas with soap and water. If irritation develops, get medical attention. Thoroughly wash clothing before reuse.   |
| INGESTION  | If conscious, drink large quantities of water. DO NOT induce vomiting. Get immediate medical attention. NEVER give anything by mouth to an unconscious person. |

---

5. FIRE-FIGHTING MEASURES

---

|                               |  |
|-------------------------------|--|
| FLAMMABLE PROPERTIES          | Flashpoint 125 °F [TCC]  |
| FLAMMABILITY LIMITS-          | Lower 0.7%   |
|                               | Upper 6.1%   |
| EXTINGUISHING MEDIA           | Water spray, dry chemical, foam, carbon dioxide or halon may be used on fires involving this product.  |
| FIRE FIGHTING INSTRUCTIONS    | Cool containers with water to prevent rupture. Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear when fighting fires involving this product. |
| CONDITIONS TO AVOID           | Avoid impact, friction, heat, sparks or flame.   |
| HAZARDOUS COMBUSTION PRODUCTS | During combustion, the following substances may be formed: carbon monoxide, carbon dioxide, irritating gases, aldehydes, and carboxylic acids.   |

---

6. ACCIDENTAL RELEASE MEASURES (Transportation Spills Call: INFOTRAC 800-535-5053)

---

Extinguish all sources of ignition. For small spills: Add absorbent, sweep up, and dispose appropriately. For large spills, dike to contain and pump into drums for use or disposal.

In case of accidental spill or release, refer to Section 8, Personal Protective Equipment and General Hygiene Practices.

---

7. HANDLING AND STORAGE

---

There are no unusual hazards associated with handling of this product.

Store in a cool dry place.

Keep container closed when not in use.

Avoid heat, flame, sparks, and other ignition sources.

---

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

|                        |   |
|------------------------|---|
| ENGINEERING CONTROLS   | Provide adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Discharge from the ventilation system should comply with applicable air pollution control regulations. |
| EXPOSURE GUIDELINES    | PARTICULATES (mist): If used under conditions that generates mist, the OSHA TWA of 5 mg/m <sup>3</sup> respirable fraction (15 mg/m <sup>3</sup> total), and ACGIH TLV-TWA of 3 mg/m <sup>3</sup> respirable fraction (10 mg/m <sup>3</sup> total) should be observed.              |
| RESPIRATORY PROTECTION | Appropriate respiratory protection is required when exposure to airborne contaminants may exceed acceptable limits. Respirators should be selected and used in accordance with OSHA, Subpart 1 (29 CFR 1910.134) and manufacturer's recommendations.                                |
| SKIN PROTECTION        | Wear chemically resistant rubber gloves and apron to minimize exposure.   |
| EYE PROTECTION         | Wear chemical safety glasses, goggles, or face shield to prevent eye contact. Eyewash fountains and safety showers should be easily accessible.   |

N.D. Not Determined

N.A. Not Applicable

N.T. Not Tested

---

9. PHYSICAL AND CHEMICAL PROPERTIES

---

|                  |                                 |                     |           |
|------------------|---------------------------------|---------------------|-----------|
| APPEARANCE       | Clear, colorless to pale yellow | ODOR                | Pine odor |
| PHYSICAL STATE   | Liquid                          | pH                  | N/A       |
| BOILING POINT    | @ 5% 158°C<br>@95% 180°C        | FREEZING POINT      | < -40 °C  |
| SPECIFIC GRAVITY | 0.847 @ 15.6°C                  | PERCENT VOLATILE    | 100       |
| VAPOR PRESSURE   | 2 mmHg @ 20°C                   | SOLUBILITY IN WATER | 0.1%      |

---

---

10. STABILITY AND REACTIVITY

---

|                                  |  |
|----------------------------------|--|
| GENERAL STABILITY CONSIDERATIONS | Stable under recommended handling and storage conditions                     |
| HAZARDOUS DECOMPOSITION PRODUCTS | None known   |
| HAZARDOUS POLYMERIZATION         | Not anticipated under normal or recommended handling and storage conditions. |

---

---

11. TOXICOLOGICAL INFORMATION

---

## REPORTED HUMAN EFFECTS

Product/Similar product – irritating to the skin and mucous membranes. Ingestion causes gastric irritation, pain, nausea, vomiting. Inhalation may cause chest pain, bronchitis, dizziness, delirium, ataxia, or coma. Inhalation or aspiration may cause pulmonary edema or pneumonia. May be absorbed through the skins, lungs, and intestinal tract, resulting in kidney damage, painful urination, and respiratory or central nervous system effects. Chronic contact may cause benign skin tumors. A maximization skin patch test with 10% in petroleum resulted in three sensitization reactions from 25 subjects tested. Sensitization suspected to be caused by oxidation products of the test sample. Retesting under duplicate conditions with a sample protected from oxidation resulted in no sensitization changes.

## REPORTED ANIMAL EFFECTS:

No animal toxicity studies have been carried out with this product.

## CARCINOGENICITY INFORMATION

Not listed as a carcinogen by NTP. Not regulated as a carcinogen by OSHA. Not evaluated by IARC.

## MUTAGENICITY/GENOTOXICITY INFORMATION

No mutagenicity studies have been carried out with this product.

---

12. ECOLOGICAL INFORMATION

---

No ecological studies have been carried out on this product.

---

13. DISPOSAL CONSIDERATIONS

---

Incineration in accordance with applicable regulations is the recommended disposal method. Disposal should be in accordance with applicable Federal, state, and local regulations.

---

14. TRANSPORT INFORMATION

---

N.D. Not Determined      N.A. Not Applicable      N.T. Not Tested

## TRANSPORTATION

Proper Shipping Description: Flammable liquids, n.o.s.; UN1993; 3; PGIII

---

15. REGULATORY INFORMATION

---

OSHA Hazardous by definition of 29 CFR1910.1200 for flammability.

CERCLA (SARA Title III) Hazard Category – Fire Hazard

RCRA Classified as RCRA Hazardous waste (flammability characteristic)

---

16. OTHER INFORMATION

---

Emergency Contact: INFOTRAC 800-535-5053

## Hazard Ratings

HMIS: Health = 2 Flammability = 3 Reactivity = 0 Personal Protection = C

NFPA: Health = 1 Flammability = 3 Reactivity = 0

(0 = minimal, 1 = slight, 2 = moderate, 3 = serious, 4 = severe)

**KostaTech recommends that all exposures to this product be minimized by strictly adhering to recommended occupational controls and procedures to avoid any potential adverse health effects.**

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE. IT IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT FOR PURPOSE OF HAZARD COMMUNICATION AS PART OF KOSTATECH'S PRODUCT SAFETY PROGRAM. IT IS NOT INTENDED TO CONSTITUTE PERFORMANCE INFORMATION CONCERNING THE PRODUCT. NO EXPRESS WARRANTY, OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE WITH RESPECT TO THE PRODUCT OR THE INFORMATION CONTAINED HEREIN. DATA SHEETS ARE AVAILABLE FOR ALL KOSTATECH PRODUCTS. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL KOSTATECH PRODUCTS YOU BUY, PROCESS, USE, OR DISTRIBUTE AND YOU ARE ENCOURAGED AND REQUESTED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN. TO DETERMINE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, USER SHOULD CONSULT HIS LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. KOSTATECH DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.